

PLEASE NOTE: IF YOU UPDATE THE GIDEV, GICLIENT, GISERVER, OR FILEPRO TO THE CURRENT VERSION ALL ASSOCIATED VERSIONS OF THE PROGRAM MUST BE UPDATED. THIS IS DUE TO THE NEW LICENSING METHOD TO REMOVE THE NEED FOR MACHINE NAMES. ALL ACCOUNTS UNDER THE ~/FPSERVER/USERS FOLDER CAN BE MOVED TO THE NEW ~/GISERVER/USERS FOLDER WITHOUT MODIFICATION.

GISERVER & GIADMIN

GIserv for windows can now be run as a service.

GIserv and GIadmin have been separated. This allows for administration on a remote desktop to several servers and the requirement to run the GIserv in an X-window session.

GIadmin module can administer several servers from a single location.

There is a grace period in place so one can download a new license file later, in order to get the GIserv running.

Account creation and Server admin tools enhanced.

An issue with some virus checkers was fixed, where the server wouldn't run.

-ver flag added so as to type ~/giserver/giserver -ver or ~/giserver/giadmin -ver the version number of the server or admin will be shown.

Unix GIserv requires ~/giserver/lserv to be running to resolve licensing.

Licensing has changed from IP address to MAC address of the servers NIC.

PFSCRAPERLOG is to create the log for the filePro programs.

PFDAMONLOG is used to create the log for the daemon

GICLIENT

The GIclient no longer requires machine names. All licensing is done from the server side now.

Local Printing on the GIclient as be created for both windows and Unix using the PFPT=on option or -pt. This is handled using the ESC[5i and ESC[4i method in the termcap.

An issue where a drop down field wouldn't clear the value through the filePro processing table.

Issue of record counts and selection not appearing in *reports and shows now imply a video sync

Message send command now requires a giserver.lic generated from a customer with a purchased developer.

FilePro copyright screen have been removed when running the Glclient between programs.

Fixed several window exception errors while running the Glclient.

Show buttons use a "." period as a button locked client.

Several Unix programs have been reported to work in raw mode. (Such as Unix WordPerfect and Scoadmin)

Corrected an issue of color from a previous screen remaining after going from one program to another.

Gldev has to be re-licensed for the current version. Requires both the machine name and the serial number of the hard drive.

Glclient has a table of servers and IP addresses to connect to make in easy to change between servers.

Glclient now has all associated modules when running appear as one program on the taskbar.

If more then one session are in use they no longer move locations while running on the taskbar.

****Added a title flag option to the fileproGl.exe so multi-sessions could be labeled differently on the toolbar.

The following are examples of valid command lines:

fileprogi

fileprogi default.ini

fileprogi title=Traffic

fileprogi "title=The Traffic Court"

fileprogi title=Traffic default.ini

fileprogi default.ini "title=The Traffic Court"

Several issues with priority of displays of graphics, html, and other client side features.

One can now add several different servers associated with the IP address in the client. There is now a drop down table for quick selection between them and the list can be edited from the configuration window.

If one exits without logging in the client closes.

Calendar feature on Date fields not defined as (10,mdyy) now function.

Several issues between GIserv and filePro with the mode-switching acknowledgement messages resolved.

Better time stamping has been placed in the debug logs.

5.0.9k1

PFAUTOGOTOWARN= (OFF/ON) - Turns off or on the "Auto Goto Warning" when the cursor stops in a field before reaching its destination when the mouse is clicked. Due to a requirement for user interaction or returns to the same field before reaching the clicked field.

Buttons defined as @wef* or @wlf* could exceed Giclient limits of 50 buttons limit. A range check error would occur when one clicked in a field located several fields away.

Between Version 53 and 66 of Giclient

- When a Browse Lookup is visible; pressing a CR no longer issues two CRs. Two CRs were erroneously issued in the previous versions.
- The Spanish characters (such as n w/ a tilde) can now be displayed in the edit field (whether in update mode or not) or in the data entry screen or in a Browse.
- GI now passes character keystrokes through Browse Lookups (so, for example, you can type the 'x' key instead of pressing the [Exit] button when a browse lookup is visible).
- Fixed focus error when 'invalid' button is pressed. Added CR to the list of valid characters defining a 'keyboard' buttons.
- 'Tied' the visibility of the "Options" menu on the browser menu bar to the "Show Appearance Button" in the ACT.